Login Username	NHPUC 22JUL'16px12:0
₋ogin Email	
NH Public Utilities Commission	
REC Aggregator Portal	
Basic Information	
New Users CLICK HERE to setup your account for this form. Creating an you to partially complete the form and return later to finish it or to make chais submitted. Be sure to create your account BEFORE entering information the information will be lost.	anges after the form
Existing Users CLICK HERE	
Aggregator Batch Number	
KE071916	
Aggregator name	
Knollwood Energy	
Facility Owner Name	
Donald McDonah	
Facility Address	
6 Crestwood Ln	
Facility Town/City	
Nashua	
Facility State	
NH	
Facility 7 in	
Facility Zip 03062	
Mailing Zip	

Primary Contact
Karen Tenneson
Facility Information
Class
11
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON88017
Date of Initial Operation
06/02/2016
Facility Operator Name, if applicable
Panel Make #1
LG
Panel Model
X NeON
Panel Quantity
46
Panel Rated Output
305
Other panel make

40 P

Other panel model
More Panel types?
No
O Yes
Panel Make #2
Panel Model
Panel Quantity
Panel Rated Output
More Panel types?
No
O Yes
Panel Make #3
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
14030
Inverter Make
Enphase Energy
Other inverter make

Inverter Quantity
46
Additional Inverter Make
None
Add'l Inverter Quantity
Rated Output - Primary Inverter
250
Rated Output - Additional Inverter
System capacity based on single inverter make
11500
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
11.5
Revenue Grade Meter Make
Trevende Grade Meter Make
Revenue Grade GIS Approved Meter
HIALEAH
Other revenue-grade GIS-approved meter
Was this facility installed directly by the customer (no electrician involved)?
O Yes  No
Electrician Name & Number
Troy Diamond 12218M
Other Electrician Name & Number

Installation Company
Granite State Solar
Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Equipment Vendor Company Name
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
Yes     No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
http://fs30.formsite.com/jan1947/files/f-5-99-7252157_wbhczReQ_McDonah_PVCertificate_of_Completed

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.

A revenue quality meter (meeting ANSI C-12.1-2008 for installations up to and including 10 kW, or ANSI C12.16 or better for installations greater than 10kW up to 1 mW) is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

http://fs30.formsite.com/jan1947/files/f-5-168-7252157\_mRoHWxVn\_McDonah\_NHOS.pdf

Please attach additional document here

http://fs30.formsite.com/jan1947/files/f-5-173-7252157\_DXJg2VgM\_McDonah\_PV\_-\_Processed\_Application

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

**Print Name** 

Karen Tonnesen

**Date Signed** 

07/19/2016

#### Eversource

## Interconnection Standards For Inverters Sized Up To 100 kVA

JUN 06 2016

Exhibit B - Certificate of Completion for Simplified Process Interconnections
SESD

Contact Person, if Company:	
Mailing Address: 6 Crestwood Ln	
	State: New Hampshire Zip Code: 03062
보는 그 이번 물병에 그리면 물을 보면 됐다. 그 한국에는 이 그리고 있는 모든 모든 모든 모든 모든 함께 없다.	(Evening):
	E-Mail Address: drwho1956@gmail.com
Facility Information: ->	Eversource Meter #S 70 931 643
Address of Facility (if different from above):	
City:	State: Zip Code:
Electrical Contractor Contact Information:	
Electrical Contractor's Name (if appropriate)	Granite State Solar
Mailing Address: 197 North Main St	
City: Boscawen	State: New Hampshire Zip Code. 03303
	(Evening):
Facsimile Number:	E-Mail Address: justin@granitestatesolar.com
License number: 0366 C	
이 교육도 이 경험적으로 하고 생각을 하면 사용하는 그 말이 모양하는데 그렇게 되었다.	
Date of approval to install Facility granted by the	Company: 2/16/16
Eversource Application ID number: #N 5270	
Eversource Application ID number: #N 5270 Inspection: The system has been installed and inspected in co	ompliance with the local Building/Electrical Code of
city: MASHUH	ompliance with the local Building/Electrical Code of: County:
Eversource Application ID number: #N 5270 Inspection: The system has been installed and inspected in co City: Why WWH Signed (Local Electrical Waring Inspector, or sta	ompliance with the local Building/Electrical Code of: County:
Eversource Application ID number: #N 5270 Inspection: The system has been installed and inspected in co City: WHO WILL Signed (Local Electrical Wiring Inspector, or sta	ompliance with the local Building/Electrical Code of:  County:  Co
Eversource Application ID number: #N 5270 Inspection: The system has been installed and inspected in co City: White Hult Signed (Local Effect cal Wiring Inspector, or atta	ompliance with the local Building/Electrical Code of: County:
Eversource Application ID number: #N 5270 Inspection: The system has been installed and inspected in co	ompliance with the local Building/Electrical Code of:  County:  Co
Eversource Application ID number: #N 5270 Inspection: The system has been installed and inspected in co City:	county: HULS BOOK O  County: HULS BOOK O  County: HULS BOOK O  County: Date: 6-2-1  all information contained in this Exhibit B - Certification of open installed and shall be operated in compliance with applicable
Inspection: The system has been installed and inspected in concity:  Signed (Local Electrical Wiring Inspector, or atta- Signature  Name (printed):  Customer Certification:  The hereby certify that, to the best of my knowledge, Completion is true and correct. This system has betandards. Also, the initial start-up test required by  Please remember to provide digital photos of the	county: HULLS ISONO  County: HULLS ISONO  County: HULLS ISONO  County: Date: 6-2-1  all information contained in this Exhibit B - Certification of open installed and shall be operated in compliance with applicable

Eversource
Distributed Generation
780 North Commercial Street
P. O. Box 330, Manchester, NH 03105-0330
Fax No: (603) 634-2924

### New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.


The project is installed and operating in conformance with applicable building codes.

Donald McDonah

Printed Name of signature owner

Signature of system owner

#### EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



# Simplified Process Interconnection Application and Service Agreement submit form via email to: NHDG@eversource.com

Legal Name and Address of Interconnecti	no Custom	er for Company name if annone	ofe)	
Customer or Company Name (print); Do	nald McDon	ah	iau	
Contact Person, if Company:				
Mailing Address: 6 Crestwood Ln				
	State	New Hampshire	Zip Code:	03062
Telephone (Daytime): (603) 494-5951	Outro.	(Evening):		
Facsimile Number:				m
Alternative Contact Information (e.g., S Name: Granite State Solar	System inst	allation contractor or coordinating	company, if ap	propriate):
Mailing Address: 197 North Main St				
- Roscovon	State:	New Hampshire	Zip Code:	03303
Telephone (Daytime): (603) 369-4318	otate:	(Evening):	Zip Code:	
Pacsimile Number:			Moranitoetatoeol	ar com
Name: Mailing Address:		ropriate):		
		ropriate):		
Name:  Mailing Address:  Dity:	State:	ropriate):		
Name:  Mailing Address:  City:  Celephone (Daytime):	State:	ropriate):  (Evening):		
Name:  Mailing Address:  City:	State:	ropriate):		
Name:  Mailing Address:  City:  Felephone (Daytime):  Facsimile Number:  Sacility Site Information:	State:	ropriate):  (Evening):		
Name:  Mailing Address:  City:  Celephone (Daytime):  Cacsimile Number:  Cacility Site Information:	State:	ropriate):  (Evening):		
Name:  Mailing Address:  City:  Celephone (Daytime):  Sacsimile Number:  Sacility Site Information:  Sacility (Site) Address:  6 Crestwood Ln	State:	ropriate):  (Evening):		
Name:  Mailing Address:  City:  Celephone (Daytime):  Cacsimile Number:  Cacility Site Information:  Cacility (Site) Address:  City:  Nashua  Clectric	State:	(Evening):  E-Mail Address:	Zip Code:	03062
Name:  Mailing Address:  City:  Celephone (Daytime):  Cacsimile Number:  Cacility Site Information:  Cacility (Site) Address:  City:  Nashua  Clectric	State:	(Evening):  E-Mail Address:	Zip Code:	03062
Name:  Mailing Address:  City:  Celephone (Daytime):  Sacsimile Number:  Sacility Site Information:  Sacility (Site) Address:  City: Nashua  Clectric  Cervice Company:  Eversource  Account and Meter Number: Please consul	State:  State:  Account an actual	NH  It Number: 56791541006  Rversource electric hill and enter	_ Zip Code: _ Meter Numi	08082 ber 570 981 643
Name:  Mailing Address:  City:  Celephone (Daytime):  Cacility Site Information:  Cacility (Site) Address:  Cacility (Site) Address:  Count and Meter Number: Please consulumber on this application. If the facility is	State: State: Account an actual s to be inst	NH  NH  NH  It Number: 56791541008  Eversource electric bill and enter alled in a new location, please pro	_ Zip Code: _ Meter Numi	08082 ber 570 981 643
Name:  Mailing Address:  City:  Pelephone (Daytime):  Sacsimile Number:	State: State: Account an actual s to be inst	NH  NH  NH  It Number: 56791541008  Eversource electric bill and enter alled in a new location, please pro	_ Zip Code: _ Meter Numi	08082 ber 570 981 643

# EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

### Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:			
Generator/	Model Nam		
Inverter Manufacturer: Enphase	Number:		Quantity: 46
	(kVA)		Phase: Single Three
Nameplate Rating: The Max AC Nameplate	the state of the s		
System Design Capacity: 11.5	kW) (kV)	A) Battery Backup: 1	res No
System Design Capacity: The system total of sum of the AC nameplate ratings of all inver-		s. If there are multiple in	werters installed in the system, this is the
Net Metering: If Renewably Fueled, will the	account be Net Metere	ed? Yes No	
Prime Mover: Photovoltaic Reciproc	cating Bugine F	uel Cell Turbine	Other
Energy Source: Solar Wind Hydr		atural Gas Fuel Oil	
Inverter-based Generating Facilities:			
UL 1741 / IEEE 1547.1 Compliant (Refer To Yes No 🗌	Part Puc 906 Complian	ce Path For Inverter Uni	ts, Part Puc 906.01 Inverter Requirements)
The standard UL 1741.1 dated May, 2007 or Systems," addresses the electrical interconne submit their equipment to a Nationally Record term "Listed" is then marked on the equipment provided by the inverter manufacturer de	ection design of various gnized Testing Laborat (Uipment and suppor	forms of generating equory (NRTL) that verifies the ting documentation.	signment. Many manufacturers choose to compliance with UL 1741.1. This Please include, any documentation
External Manual Disconnect Switch:  An External Manual Disconnect Switch shall Interconnections For Facilities, Puc 905.01 Required No   No   No	quirements For Disconn	ect Switches and 905.02 D	echnical Requirements For ilsconnect Switch.'
Location of External Manual Disconnect Swi	itch: Next to the mete		
Project Estimated Install Date:		roject Estimated In-Serv	rice Date:
Interconnecting Customer Signature:			
I hereby certify that, to the best of my knowled and Conditions for Simplified Process International Customer Signature:	rconnections attached	tion provided in this app hereto: Homeowner	elication is true and I agree to the Terms
Please include a one-line and/or three-line of		ب بورون برون بالمالية عند المنظمة	
point in relation to the customer service pan returned:	el and the Eversource	meter socket. Applicati	ist indicate the generator connection ons without such a diagram may be
	For Eversour	ce Use Only	
Approval to Install Facility:			
Installation of the Facility is approved conting Agreement, and agreement to any system mo	gent upon the Terms and diffications, if required.	nd Conditions For Simpl	ified Process Interconnections of this
Are system modifications required? Yes		Determined	
	T		7/1
Company Signature:	in	Title: 1955ac	Date: 7/8//6
		£ 1	Date:
Eversource SPIA rev. 11/15		C/19.12	Page 2 of 5

# EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

### **Terms and Conditions for Simplified Process Interconnections**

Company waives inspection/Witness Test:	Yes 🔯 No 🗆	Date of inspection/Witness Test:
---	------------	----------------------------------

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
  Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
  900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
  easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
  - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
  - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
  - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Pacility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Pacilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
  - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
  - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
  - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
  - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
  - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Pacilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).